

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



2014





Fig 3

4 weeks


6 week~



Control

TGF- β

Fig 4



20250606



[illegible]

Fig 9






TGF- β 1-
transfected
cells

1. *Staphylinidae* (10 species)

005

2017

4
12
7




Control




x200




x600



TGF- β



x200



x600

Fig 9







Figure 10. Regeneration of Cartilage with Irradiated NIH3T3-TGF- β 1 fibroblast cells




**Figure 11. Regeneration of Cartilage with Human Foreskin
Fibroblast Cells Producing TGF**



00707900 : 440000

Figure 12. Regeneration of Cartilage with NIH3T3-TGF- β 1 cells in a Dog Model



Immunohistochemical Staining of Regenerated Cartilage with TGF- β 1 antibody at 3 Weeks after Injection of TGF- β 1 producing fibroblast cells

